



TOLI FABRIC FLOOR



TOLI
FABRIC FLOOR

Proudly Made in Japan





The ideal carpet
for your home.



Instead of what others think is best, choose what truly fits your style. Lay down versatile carpet tile in your room. Focus on design and texture to create a unique original for your home. TOLI Fabric Floor - the carpet that lets you live your life your way.

CONTENTS

1	CONCEPT	
2	CONTENTS	
3	3 particularities of TOLI Fabric Floor	
4	<u>EASY</u> Easy to install and maintain.	
5	<u>FINE</u> High quality and comfortable.	
6	<u>FREE</u> Design and texture can be freely combined.	
8	PRODUCT HISTORY	
	TOLI's commitment to manufacturing: The journey of creating Fabric Floor.	
12	Room styling with fabric floor	
	Gain insights from people who uses Fabric Floor.	
16	Attack 350NE Ripple Palette Neo	
20	Attack 8000 Sound Cut	
22	Attack 1100 Soufflé Knit	
26	Attack 950NE Soft Loop Neo	
28	Square 2100 Sisaloop	
30	Square 4200 Suzukasuri	
32	Attack 270 Canvas Fine	
36	Square 2400 Soware	
40	Square 4500 Stella Cross	
44	Kidsroad Panel Carpet	
46	Textile Floor 7000 Ryouori	
48	OTHERS	
	TOLI's recommended products for homes: LAY Flooring Pitafi / TOLI Rug & Mat	
50	TOLI Fabric Floor ACCESSORIES	
51	INFORMATION	





Born from 3 particularities: TOLI Fabric Floor

EASY FINE FREE

Easy to maintain, High quality, Freedom to choose.

TOLI Fabric Floor was born from
3 particularities regarding carpets.

Changing the carpet can change the outlook of
your home.

When your home changes, your mood changes.

Your everyday moments become more
comfortable and enjoyable.

EASY

Easy to install and maintain.

It can be a hassle when a carpet tends to shift sideways during everyday use. Fabric Floor sticks firmly after laying the carpet on the floor.



Stays in place with just placement.

For installation, you just need to place it on the desired flooring. No adhesive is required so you can stick and remove it without getting your hands dirty. It fits securely on the floor so you can use it with a peace of mind.

* For more details, p.56 "Stays in place"



Easy to Clean

It can be easily cleaned with water mixed with a small amount of detergent. Fabric Floor can also be hand washed. Having a spare allows for convenient replacement during washing.

* For more details, p.56 "Resistant to stain"

Stain resistant finish of TOLI Fabric Floor

Products with the stain-resistant mark are particularly easy to clean because they are less likely to get dirty and are easier to clean.


* For more details, p.54 - 55 "Product Specifications"



FINE

High quality and comfortable.


Since the carpet is something the entire family will come into contact with, we're placing significant emphasis on its texture. It creates a cozy and inviting atmosphere, making you want to stay in the space indefinitely.



Warmth for both pets and people.

Dogs and cats can occasionally slip and injure themselves on hardwood flooring. TOLI Fabric Floor is highly cushioned and non-slip which helps to minimise the strain on their legs. Deodorized products are also available to help mitigate pet odors.

* For more details, see p.56 "Slip-resistant" and "Keep the air clean".



Soft, cozy, and warm.



The carpet has a soft, fluffy texture that makes you want to lie on it. It is not sticky in the summer and guards against the cold in winter, so you can stay comfortable all year round.

Reduce impact and household noise.



Its thick and excellent cushioning helps to reduce the impact when you fall. It also blocks the sound of chairs being moved and footstep noises, so you can spend your time without worrying about the neighbors on the floor below.

* For more details, see p.56 "Absorbs impact" and "Reduces noise".




TOLI Fabric Floor has won the Good Design Award! We promise exceptional quality that you can trust

FREE

Design and texture can be freely combined.


Select colors, patterns, textures, and installation methods to match your lifestyle and preferences. Create a unique carpet arrangement just for your home.



Arrange to create your ideal room.

Use it as a rug for part of the room or lay it wall-to-wall without gaps. Combine colors and patterns and have fun arranging to create your perfect room.

W200cm x H200cm




AK2702
AK2720

Easy and effortless room makeovers.

Fabric Floor do not require adhesive and can be easily replaced or rearranged. You can also cut them yourselves using a penknife. Additionally, pieces that are no longer required can be stored compactly after rearranging.

★ For more details, see p.52 "Installation Guide".





» Arrange



TOLI's commitment to manufacturing: The journey of creating Fabric Floor.

Simple yet high-quality, Fabric Floor offers a flexible interior solution that meets the demands of consumers. It reaches you through thoughtful product planning, design and meticulous craftsmanship. Along with scenes from our factory, we introduce the dedication of the people involved in its creation.



Valuing the everyday perspective of a consumer, we cherish the feeling of "it would be nice if it were like this"

"The coldness, hardness, and slipperiness of hardwood floors can be resolved with carpets," and "We want to bring the comfort of carpets easily with carpet tile, which are more manageable than large rugs." With these thoughts in mind, we launched the predecessor to the TOLI Fabric Floor in 1996. Over the past 30 years, we continuously update our products based on our customers' feedback. Initially, the Fabric Floor series did not feature the current self-stick backing but instead recommended installation using special stickers. However,

this method posed several challenges, such as the effort required for installation and insufficient adhesive strength. As a result, we conceived and developed the self-stick backing, which took approximately two years of trial and error to perfect. We also thoroughly evaluated and refined the cushioning and soundproofing qualities, repeatedly testing various thicknesses and material compositions before introducing our current products to the market. Product creation begins with concept design. The planning team considers various



aspects, such as the required features and the appropriate price range, by considering customers' feedback delivered by the sales team, as well as reviews and comments on social media and websites. We constantly keep an eye on market trends and new

products from other industries, researching daily to determine what kind of fabric flooring is in demand. As creators, we are also consumers, so we value the thoughts and wishes that arise from our own daily lives, thinking, "It would be great if things were like this."

Striving for attractive design and texture, we undergo trial and error without compromising.

The design team develops the product's colors, patterns, and textures based on the concept. Despite the constraints of materials and manufacturing methods, we consistently strive for attractive designs that make customers feel, "I definitely want to try this."

We imagine the persona of the target customer and the spaces where the product will be used, asking questions like "What kind of environment does this person live in, and what are their preferences?" This helps us shape new products by expanding our vision of the space and the people who will use them.

While aiming to create products that many customers will feel "I definitely want to try," we also consider whether we ourselves would want the product.

Sometimes, we exchange ideas with other designers to explore various methods of design expression.

For example, the design of "Square 4500 Stellar Cross" began with the concept of launching a product targeting customers who seek luxury.

In considering a luxurious design, we conducted market research and drew inspiration from carpets used in hotels, as well as textiles like cushion covers and rugs, furniture, and spaces seen in interior shops. This helped us expand our vision and refine our ideas. The key feature is the carefully crafted texture, expressed through a combination of cut pile and loop pile.

We combined straight and curly yarns, testing various visual effects to pursue an ideal design that is both modern and luxurious. "Attack 1100 Soufflé Knit" is a product designed to convey a sense of softness at first glance. Although we aimed for a product with a good texture, preferences vary, such as "fluffy" or "smooth." Therefore, we struggled with deciding what kind of design we should pursue. In this context, we decided to aim for a motif that looks soft, focusing on a texture similar to knitting that conveys a sense of softness and warmth.


We paid particular attention to color selection, combining multiple coloured yarns when looked at closely.



The development team sought softer yarns than those traditionally used, aiming to achieve a pleasant texture. They focused on selecting yarns that feel comfortable when walked on barefoot or when small children lie on them. Once the design and yarns are selected, we first create a target sample using a small test machine. It rarely goes smoothly on the first try.

It is challenging to balance the ideal design and texture. We repeatedly create prototypes, adjusting color combinations, patterns, and specifications to get closer to our ideal. Once the target sample is achieved, the trial production at the factory finally begins.






Pursuing ideal design and high quality to create a comfortable living environment.

The trial production at the factory is conducted under the supervision of designers and product developers following the same processes as actual product manufacturing. Using large machines with needles aligned horizontally over a span of 2 to 4 meters, yarn is tufted into the base fabric. Each needle in the tufting machine is threaded with yarn, and even a single broken yarn can result in a defective product. Therefore, the staff carefully inspect the movement of the needles and yarn, as well as ensure that no yarn is sticking out. The person in charge of development adjusts the machines to achieve the ideal design, but things don't always go as planned. This process is repeated multiple times to create a carefully refined design. The fabric after the tufting process is called "raw fabric." Once the raw fabric is completed, additional performance is added.

The "Attack 270 Canvas Fine," "Square 2400 Soware," "Square 4200 Suzukasuri," "Square 4500 Stella Cross," "Textile Floor 7000 Ryouori," and "Kidsroad Panel Carpet" are treated with a water-repellent and stain-resistant coating, making them resistant to water penetration and preventing dirt from sticking. This contributes to creating a comfortable living environment. Thereafter, we proceed to the next step called backing. By applying resin to the back of the raw fabric and heat-setting it, the yarn is prevented from coming loose. Additionally, a special cushioning layer is laminated onto the fabric (see cross-section diagram on the left), then it is cut to the specified size. The finished prototype is then checked for texture by touching it from various angles and stepping on it to evaluate the quality of the product. Additionally, we thoroughly

■ Cross section



check the quality aspects, such as how well the product minimizes the visibility of stains, resists pilling, and prevents fraying. Even if a prototype achieves the ideal appearance, it's still too early to call it complete. We may need to redo it after conducting quality checks. Even with the "Attack 1100 Soufflé Knit," which achieved the ideal appearance, the development team faced challenges in reducing the sense of misalignment at the seams where the carpet tiles meet. They repeatedly tackled this issue, brainstorming solutions and adjusting the product specifications until they finally achieved the desired outcome.

Sometimes, the developers take the prototypes home to personally test and confirm their comfort and functionality. Indeed, from the perspective of an everyday consumer, it's essential to consider whether the product is something we would want to use in our own homes. Since these are items that people frequently touch at home, we carefully check them with the actual users and usage scenarios in mind to ensure they are delivered with reliable quality. During the development of the "Attack 8000 Sound Cut," which

is designed to thoroughly pursue soundproofing performance, we measured the sound level with a microphone and personally checked how impact sounds and footstep noises would be heard downstairs. By conducting these evaluations and verifications one by one, we achieved the highest level of soundproofing performance in the fabric floor series. In this way, we focus not only on measurable aspects but also on the actual experience of daily life, ensuring a carefully crafted approach to product development.



Delivering our lovingly crafted products to more people

Once the design and specifications of the product are finalized, we increase the number of prototypes to conduct a final check for any defects. Once we confirm that stable manufacturing is possible, the product is finally complete. Before shipping the products, we conduct thorough inspections and carefully package them to ensure they reach you. Thanks to your support, TOLI Fabric Floor has been highly

praised by many customers since it was first introduced. However, we also feel that there are still many people who have not yet considered the option of installing Fabric Floor in their homes. To bring more joy into the lives of people, we will continue to focus on developing and improving our products, as well as on our promotion efforts. Our aim is to contribute to achieving a positive and fulfilling lifestyle for everyone.

Gain insights from people who uses Fabric Floor.

A space design professional styled with Fabric Floor at home, sharing insights on incorporating it into a room and tips for choosing colors!




I chose a warm, reddish beige color that complements the doors and baseboards in the house. Its cozy tone is perfect for the family gathering space.

Product used

Attack 350NE
Ripple Palette Neo

AK3566
Ricey Plants



> For product detail, refer to p.16




By using Fabric Floor with a bit of texture and keeping everything in a similar color scheme, it creates a subtle yet effective accent.

Product used

Attack 950NE
Soft Loop Neo

AK9551
Vanilla Cream



> For product detail, refer to p.26



Styling 1



YUI OTANI
Interior stylist

After working as an editorial designer for magazines and books, she became an independent interior stylist in 2012. Since then, she has focused on styling interiors, accessories, and space imagery for magazines, catalogs, and advertisements. Currently living with her husband and daughter in a three-bedroom apartment of approximately 100m².

When having trouble selecting items, try expanding your ideas based on the room's colors and features.

My home features a soft atmosphere, primarily using light colors like white and ivory. Since I incorporate a lot of furniture made from slightly reddish woods like beech and rattan, I often choose fabrics in warm colors that complement these materials.

In interior design, there are no strict rules, so the most important thing is creating a space that feels comfortable


for the people living in it. By valuing your personal vision of the kind of room you want and planning with that in mind, you can reduce uncertainty when choosing items. For example, it's recommended to find items that match well with the room's features and colors, such as the design of the windows and doors, as well as the color and texture of the walls.

The white ash dining table pairs perfectly with the cream-colored carpet, giving the room a bright and comfortable ambiance.

Product used

Attack 270
Canvas Fine

AK2702 Cream



> For product detail, refer to p.32




Ivory tones are versatile and easy to incorporate into any interior. They provide a natural feel that pairs well with wooden furniture and plants.

Product used

Attack 350NE
Ripple Palette Neo

AK3565 Tusnies



> For product detail, refer to p.16



The unique softness of fabrics can dramatically transform the ambiance of a space.

I've always admired rooms with wall-to-wall carpeting, but it was difficult to fulfil in a rental property. When my daughter was born, during the time when she was prone to falling, we used Fabric Floor in the child's area. I once again realized that Fabric Floor is a wonderful option for interiors, not only for its soundproofing and cushioning benefits but also for its soft and


charming appearance. Fabric Floor allows people who lives in rental properties to easily enjoy the coziness of carpet, greatly expanding their interior design options. With Fabric Floor, you can enjoy various textures, such as combining patterns with varying pile heights on flat surfaces. This versatility is one of the unique benefits of fabric flooring.

A muted pink tone is a great choice because it doesn't feel overly cute. It pairs well with vintage furniture, adding a subtle and sophisticated touch.

Product used

Attack 350NE
Ripple Palette Neo

AK3567 Sakura



> For product detail, refer to p.16






A bicolor combination of navy and green, with their subtle tones, makes it easier to try without becoming too flashy.

Using two colors arranged like a frame can help define the dining space and add distinction to the area. The shade of yellow also works well with the furniture.

Products used

Attack 350NE
Ripple Palette Neo




AK3577 Seawy
AK3576 Forry

> For product detail, refer to p.16

Products used


Attack 270
Canvas Fine



AK2705 Metal
AK2718 Pine

> For product detail, refer to p.32

Styling 2



MAYUMI OKAMOTO
Interior stylist

After working at a commercial photography company in Osaka, a move to Tokyo was made in 2013. Following a year and a half as an assistant, independence as an interior stylist was achieved. Currently involved in a variety of projects, including advertisements, catalogs, and music videos for artists. Lives with a spouse in a space with a distinctive ceiling height of about 5 meters.

Set the stage with your favorite furniture and revamp the space with Fabric Floor.

The home we're currently living in has a spacious living and dining area with high ceilings, which is a standout feature. The deciding factor when choosing this home was the spaciousness and open concept, even with large furniture and tall plants. The high ceilings prevent any sense of being closed in, creating a comfortable and airy atmosphere. To create a calming space, the interior design is kept from being too colorful, using accents of orange and yellow

for a subtle highlight. I chose basic colour for items such as the dining table and sofa that I want to use for a long period of time. When I want to change the mood, I enjoy rearranging fabrics like cushions and rugs. This time, I incorporated a variety of colors of Fabric Floor into the styling. Just changing the color of the floor can dramatically alter the room's impression, making it easy to enjoy a fresh look without much effort.

Add contrast to your space with colors. Mix and match multiple tones to suit your style.

I love lounging on the floor, so rugs and carpets are an essential part of my living space. I prefer something thick enough to lie on comfortably, but finding the right balance of color and the perfect amount of cushioning has been challenging. I struggled to find the ideal floor covering... Fabric Floor has an ideal density, making it easy to clean and maintain. That's one of its great features. Ivory and beige, which are easy to

incorporate into any room, are great choices. Additionally, using darker colors on the floor can add contrast and depth to the space. Bright colors like blue and pink can be easily incorporated into smaller spaces, such as a part of a room or the kitchen. A checkerboard pattern using two colors can become too ostentatious if the contrast is too strong. Combining similar colors can make it easier to try out different looks.




Checkerboard patterns, which can often become too ostentatious, are easier to incorporate when using soft colors or mixing in browns and grays.

Products used

Attack 270
Canvas Fine

AK2701 Snow

AK2709 Peach




> For product detail, refer to p.32



The workspace, finished with chic-colored fabrics to create a calm atmosphere. The smooth texture also adds to the comfort.

Product used

Textile Floor
7000
Ryouori
FF7002
Whitey Brown



> For product detail, refer to p.46




A favorite light blue is used in a corner of the room to create a cherished spot. Incorporating colors in just a part of the space, rather than throughout the entire room, is also recommended.

Product used

Attack 270
Canvas Fine

AK2715 Sky



> For product detail, refer to p.32


Attack

Attack 350NE

Ripple Palette Neo



W280cm x H320cm




AK3578
AK3580

Create a cozy and heartwarming space.

Elegant colors that seamlessly blend into any room.

Combined with the warm texture of loop pile, it creates a cozy and comforting space.

A wide range of 16 colors ensures you'll find the perfect match for your taste.



MOQ. 10pcs, in increments of 1

Multiple colors can be mixed within the same order.

>Specification p.58



AK3573



AK3579




COLOR LINEUP


AK3551 NEW Mousey	AK3552 NEW Irony	AK3565 NEW Tusnies	AK3566 NEW Ricey Plants	AK3567 NEW Sakura	AK3568 NEW Walnut	AK3569 NEW Muggy Leaves	AK3570 NEW Skyy
AK3572 NEW Orangey	AK3573 NEW Dirties	AK3575 NEW Chicky	AK3576 NEW Forry	AK3577 NEW Seawy	AK3578 NEW Linnie	AK3579 NEW Lilac Dream	AK3580 NEW Nutty Buddy




W200cm x H240cm



AK3552
AK3565



AK3551



AK3568



AK3569



AK3568

Attack

Attack 8000

Sound Cut




AK8001SC

To a comfortable home where you can stretch out and relax.

Featuring a special backing, this Fabric Floor series offers top-tier sound insulation performance.

It reduces unwanted noises that inevitably occur in daily life, such as children and pets running around, dragging chairs, and dropping objects.

Without the concern of excessive noise, daily life becomes more enjoyable and comfortable.



Multi level loop pile

MOQ 10pcs, in increments of 1

Multiple colors can be mixed within the same order.

>Specification p.58




AK8004SC




AK8002SC


COLOR LINEUP




AK8001SC **NEW**
Linnie



AK8002SC **NEW**
Tusgies




AK8003SC **NEW**
Ricey Plants



AK8004SC **NEW**
Nutty Buddy

It shares common colors with Attack 350NE Ripple Palette Neo (p.16)



AK8003SC

Attack

Attack 1100

Soufflé Knit



AK1101




AK1104

A three-dimensional knit motif crafted with delicate yarns that are gentle on the skin.



Expertly crafted with a focus on helping you fully relax, using fine, delicate yarns.

Adorable knit motifs are expressed in a three-dimensional form using fluffy, raised loop pile. Soft and subtle color lineup.



COLOR LINEUP



AK1101 **NEW**
Ecru




AK1102 **NEW**
Cream Yellow



AK1103 **NEW**
Light Gray



AK1104 **NEW**
Light Brown



AK1102






Attack

Attack 950NE

Soft Loop Neo

W200cm x H200cm





AK9552
AK9554



AK9555

Natural comfort, just like real materials.

The soft, fluffy texture of the loop pile provides a comfort that feels just like natural materials. The play of light creates different moods, bringing rhythm to the floor. The four natural colors fit seamlessly with any interior style.



MOQ 10pcs, in increments of 1
Multiple colors can be mixed within the same order.
> Specification p.58

COLOR LINEUP



AK9551 **NEW** Vanilla Cream
AK9552 **NEW** Chai Cream



AK9554 **NEW** Choco Cream
AK9555 **NEW** Caramel Cream



AK9551




AK9551

Square

Square 2100

Saisalooop




Luxurious texture inspired by natural sisal.

With varying pile heights, this design captures the look and feel of natural sisal.

An item that offers exceptional value, enhanced with a touch of luxury through a mix of colorful yarn.

A soft and gentle feel creates a space that invites you to enjoy it barefoot.




MOQ: 10 pcs, in increments of 1
Multiple colors can be mixed within the same order.
> Specification p.58

COLOR LINEUP



FF2101
Cotton



FF2102
Wood



FF2104
Stone





FF2106
Earth Beige



FF2107
Silver **NEW**





Square

Square 4200


Suzukasuri




FF4201

Wabi and Sabi. A focus on dyeing, evoking the traditional "kasuri" style.


Expressing the beauty of gradations and wavering lines, inspired by Kasuri Kimonos.
A captivating depth and a smooth texture with minimal surface texture.



MOQ 10pcs, in increments of 1
Multiple colors can be mixed within the same order.
> Specification p.58



COLOR LINEUP




FF4201
White Tea Kasuri



FF4202
Yellow Tea Kasuri



FF4203
Black Gray Kasuri



FF4204
Light Ink Kasuri


Attack

Attack 270

Canvas Fine






W240cm x H240cm



AK2701
AK2711

Brightly color your world as you desire.

With a solid 14-color palette, you can enjoy designing according to your preference. Featuring cut pile that reduces the risk of pets' claws getting caught and deodorant functions, this product is designed to enhance comfort for pet-friendly living.



MOQ 10pcs, in increments of 1
Multiple colors can be mixed within the same order.
> Specification p.58



AK2719





AK2721

COLOR LINEUP


AK2701 Snow	AK2702 Cream	AK2703 Mocha	AK2705 Metal	AK2709 Peach	AK2711 Marron	AK2713 Choco
AK2715 Sky	AK2716 Sand Gray	AK2717 Camel	AK2718 Pine	AK2719 Leaf	AK2720 Carrot	AK2721 Rain





Interview

Asked the families who participated in the photoshoot for their feedback on using Fabric Floor.



K family

2 parents + 3 children
4-bedroom

Change it anytime to match your feeling.

Just changing the color of the floor can completely transform the atmosphere of the room, making it easy to redecorate. That's my favorite aspect. Even children can easily remove it, so they enjoy repositioning it to their liking. Fabric Floor offers a comfortable amount of cushioning and feels great to the touch, which encourages more time spent playing on the floor. The carpet stays securely in place even during energetic play, providing a sense of security.

It's safe to use even in areas prone to dirt and moisture.

I noticed that compared to the previous carpet, this one reduces the sound of footsteps and the noise when objects are dropped. Dirt doesn't get trapped easily, and the robot vacuum works without any issues. The simple design blends well with any season, and the choice of materials ensures it can be enjoyed throughout the year.

Square



Square 2400

Soware



An irresistibly soft, luxurious touch.

A soft and smooth texture that feels so comfortable, it's hard to resist. With a luxurious sheen and generous volume, it creates an elegant atmosphere.



MOQ 10pcs, in increments of 1
Multiple colors can be mixed within the same order.
> Specification p.58



FF2401




FF2407




COLOR LINEUP

FF2401 Pearl	FF2402 Ash	FF2404 Sepia	FF2405 Greige	FF2407 Rose	FF2409 Platinum
FF2410 Pearl Gray	FF2411 Mauve	FF2413 Taupe	FF2414 La France	FF2415 Moon Stone	FF2416 Midnight



Square 2400

Soware



Interview

Asked the families who participated in the photoshoot for their feedback on using Fabric Floor.



K family


2 members
+ 1 beloved dog
1-bedroom

Experiencing a new level of comfort living with my beloved dog.

Since laying down the Fabric Floor in the living room, I've spent more time sitting on the floor and playing with my beloved dog. It stays in place even when my dog runs around, helping to reduce strain on their legs and giving me peace of mind. It seems she enjoys the soft texture, as she's always sleeping comfortably on the Fabric Floor. Even if it gets dirty, it's easy to wash, making it perfect for homes with pets.

Place it wherever desired, as much as needed.

I was struggling with store-bought kitchen mats that weren't long enough, but with the Fabric Floor, I can cover as much area as needed, making it really convenient. I'm happy to see that the strain on my feet and legs has decreased compared to hard floors, and the ease of maintenance is a big help too.



W200cm x H200cm



FF2402
FF2411



FF2414




Square

Square 4500

Stella Cross



W450cm x H350cm




FF4502
FF4503

A surface with rich texture and an enchanting shimmer, reminiscent of stardust.

A beautifully textured surface with a combination of cut piles and densely packed loop piles.

The subtly scattered glossy yarns shimmer delicately like stardust.

Modern and chic colors create an elegant and sophisticated space.



MOQ 10pcs, in increments of 1
Multiple colors can be mixed within the same order.

> Specification p.59



FF4504



FF4501




FF4504




FF4502


COLOR LINEUP




FF4501
Mist Ivory



FF4502
Cloud Beige



FF4503
Forest Green



FF4504
Shadow Brown







Kidsroad
Panel Carpet


de
hijk
n



A play-and-learn educational carpet.

Overall designs and dimensions of the layout can be varied in numerous ways by rearranging or rotating. Compact and easy for children to rearrange. It helps develop imagination skills through play.







It can be combined with Attack 270 Canvas Fine, plain design.



It is easy to change the layout by yourself. Combine and change it for extended use and enjoyment over time.



Kidsroad panel carpet x 12pcs (2boxes), Attack 270 Canvas Fine x 18pcs



AKTD2-SET6 NEW


Textile

Textile Floor 7000

Ryouori



FF7007 / FFMK53 / FFJD53



W300cm x H200cm




FF7007
FFMK53
FFJD53

FF wood grain edging is recommended for edge protection and resolving height differences. For details, see p.51.



A smooth and comfortable "plain weave" on bare feet.


An elegant plain weave with a refined appearance.
An airy, refreshing carpet.
Simple yet refined, making it a great accent for any room.




MOQ 10pcs, in increments of 1

Multiple colors can be mixed within the same order.

> Specification p.59



COLOR LINEUP



FF7001
Softy Cotton



FF7002
Whitey Brown



FF7004
Shiny Mousey



FF7005
Smoky Bamboo



FF7007
Denim

OTHERS

TOLI's recommended
products for homes

LAY Flooring Pitafi



LPF523

Easy DIY Floor Renovation.

For a fresh look from the hardwood flooring,
LAY Flooring Pitafi is a great choice.
Simply lay it over the existing floor.
A flooring makeover can be done easily.



LPF701

LAY Flooring Pitafi

Overall thickness : 2.0mm with UV coating
Size : 150mm x 900mm, 300 x 450mm 4-side beveled
Package : 24pcs/ctn, 3.24m²



LPF711

Simply lay it on the floor.

LAY Flooring Pitafi, like the TOLI Fabric Floor, features a self-stick backing that does not require adhesive. It can be applied to existing flooring and removed easily. It can also be cut with scissors. It is resistant to scratches and stains, and one of its key features is that indentations from heavy furniture are less noticeable.




For more detailed information about
"LAY Flooring Pitafi", scan this QR code.



OTHERS

TOLI's recommended
products for homes

TOLI Rug & Mat



RUG&MAT collection

TOLI Rug & Mat offers high-quality, original rugs that emphasize material and texture, carefully crafted by skilled craftsmen.



TNF42003

New Freedom Custom-size rugs

Custom-size rugs made in Japan, with a focus on yarn, materials, and texture.

Custom orders can be made to fit the space in a living room, dining room, study, or children's room."

Fixed Size Rug/Mat Ready made rugs and mats

A variety of designs are available, from modern to natural to cute patterns allowing selection to match the interior style of any room.

Enjoy the high quality and wide variety of designs."



For more detailed information about
"TOLI Rug & Mat", scan this QR code.



TOR4901



TOM5017

TOLI Fabric Floor

ACCESSORIES


Underlay Sheet for Fabric Floor

A special underlayment for TOLI Fabric Floor, designed to cushion impacts in case of falls. It is ideal for senior living residences and pet-friendly homes.



FFUS6-10

Cross-section image of the installation



By installing Underlay Sheet for Fabric Floor on the subfloor, Fabric Floor can be used as normal, adhesive-free installation.

Size : Size: 950mm width x 10m length,
6.0mm thickness
MOQ : By roll basis



*Has a patent for the structure.
*Adhesive is required for the installation of Underlay Sheet for Fabric Floor. For more details, please refer to the "TOLI Commercial Flooring" Catalog.

POINT 1 Improved sound insulation! It reduces noise transmission to the lower floors, allowing you to relax without concern.

The sound insulation rating (ΔL rating) will be upgraded.

	Installed on hardwood flooring		Underlay Sheet for Fabric Floor	
	ΔL rating	Estimated L-value (traditional method)	ΔL rating	Estimated L-value (traditional method)
Attack 350NE Ripple Palette Neo	$\Delta LL(I)$ -4	L45	$\Delta LL(I)$ -5	L40
Attack 270 Canvas Fine	$\Delta LL(I)$ -3	L50	$\Delta LL(I)$ -4	L45
Kidsroad Panel Carpet	$\Delta LL(I)$ -3	L50	$\Delta LL(I)$ -4	L45
Square 2400 Soware	$\Delta LL(I)$ -2	L55	$\Delta LL(I)$ -4	L45

*Slab thickness: 160mm

*The stated ratings for each product are test values measured under specific conditions determined by TOLI and are not guaranteed values.

*The estimated L-value (traditional method) generally corresponds as stated above, but there may be variations depending on the product. If more details are needed, measurements are necessary.

*For more details on sound insulation ratings, please refer to p.56 "Reduces noise".



POINT 2 Improved shock absorption! It reduces the risk of injury in case of a fall.


Shock absorption (G-value (m/s^2)) decreases by approximately 20-30%.

	Installed on hardwood flooring			Underlay Sheet for Fabric Floor		
	G-value	m/s^2	Evaluation	G-value	m/s^2	Evaluation
Square 2400 Soware	98	960	S	77	755	S
Kidsroad Panel Carpet	102	1000	A	74	725	S
Attack 350NE Ripple Palette Neo	104	1019	A	70	686	S
Attack 270 Canvas Fine	105	1029	A	74	725	S
Hardwood flooring	143	1401	C			

A lower G-value indicates weaker impact forces and higher safety in the event of a fall.

*These data are from TOLI's internal tests and are not guaranteed values.

*For evaluation criteria, please refer to p.56 "Absorbs impact".



POINT 3 Protects the building from water damage and gives peace of mind in case of pet accidents.

*Textile Floor 7000 Ryouori and LAY Flooring Pitafi are not applicable.



Scan this code for Installation and maintenance guide.



FF Wood grain edging · FF corner edging




If concerned about fraying or damage at the edging, or the height difference with the flooring surface, the use of edgings or corner edgings is recommended.

(For partial installation of Textile Floor 7000 Ryouori (p.46), it is recommended to use edgings or corner edgings.)

FF Wood grain edging

Size: 100cm length
Package: 4pcs/ctn
MOQ: By carton basis



FFMK51



FFMK52




FFMK53



Self-stick backing

FF corner edging

Size: Approx. 8cm square
MOQ: 1pc



For inside corner



FFJI51



FFJI52



FFJI53

For outside corner



FFJD51



FFJD52



FFJD53



Self-stick backing

Scan this code for Installation and maintenance guide.



INFORMATION

INFO 1 Pile material and shape

Pile material

【Nylon】

Characteristics: Fibers offering high durability and resistance to pile crush, as well as strong wear resistance and pliability.

*TOLI's nylon carpet tiles feature a stain-resistant treatment with excellent water-repellent properties.

Products: Attack 270 Canvas Fine / Square 2400 Soware / Square 4200 Suzukasuri / Square 4500 Stella Cross / Kidsroad Panel Carpet

【Polypropylene】

Characteristics: Fibers with weather resistance and high resistance to color fading from sunlight.

Products: Attack 350NE Ripple Palette Neo / Attack 950NE Soft Loop Neo / Attack 1100 Soufflé Knit / Attack 8000 Sound Cut / Square 2100 Sisaloop

【Polyester】

Characteristics: Fibers that are durable and highly heat-resistant, widely used primarily in clothing.


Products: Textile Floor 7000 Ryouori

Pile shape

【Loop pile】

Characteristics: The pile ends are looped like towel fibers, providing excellent durability and resilience.


Products: Attack 350NE Ripple Palette Neo / Attack 950NE Soft Loop Neo / Attack 1100 Soufflé Knit / Attack 8000 Sound Cut / Square 2100 Sisaloop / Square 4200 Suzukasuri



【Cut pile】

Characteristics: The pile ends are trimmed, offering a soft and pleasant texture. It also prevents pets' claws from catching.


Products: Attack 270 Canvas Fine / Square 2400 Soware / Kidsroad Panel Carpet



【Cut and loop pile】

Characteristics: By combining cut and loop piles, a design with high aesthetic appeal can be achieved.


Products: Square 4500 Stella Cross



【Woven】


Characteristics: A carpet without pile, combining vertical and horizontal yarns. It has minimal texture and is easy to maintain.

Products: Textile Floor 7000 Ryouori



INFO 2 Guidelines for room layout and the number of pieces needed

► As an accent for the room



40cm Attack / Panelcarpet Series

120 × 160cm ⇒ 12 pcs

160 × 160cm ⇒ 16 pcs

160 × 200cm ⇒ 20 pcs

200 × 240cm ⇒ 30 pcs

50cm Square / Textile Floor


100 × 150cm ⇒ 6 pcs

150 × 150cm ⇒ 9 pcs

150 × 200cm ⇒ 12 pcs

200 × 250cm ⇒ 20 pcs

► For wall-to-wall coverage.



40cm Attack / Panelcarpet Series

300 × 300cm ⇒ 64 pcs

300 × 400cm ⇒ 80 pcs

400 × 400cm ⇒ 100 pcs

400 × 500cm ⇒ 130 pcs

500 × 500cm ⇒ 169 pcs

50cm Square / Textile Floor

300 × 300cm ⇒ 36 pcs

300 × 400cm ⇒ 48 pcs

400 × 400cm ⇒ 64 pcs

400 × 500cm ⇒ 80 pcs

500 × 500cm ⇒ 100 pcs

*The number of pieces is only a guideline. Please adjust according to the size of the room.

INFO 3 Installation guide

Prior to installation

Check the product

Take the TOLI Fabric Floor out of the box and check the size and color.

*During unboxing, some fiber debris may spill from the edges of the product, but this does not affect quality. Remove the fiber debris before installation.

Clean the floor

To ensure a secure stick, remove dust and debris from the floor using a vacuum cleaner or cleaning sheets.

*Before removing the film from the backing, the product can be very slippery. Be cautious during temporary installation.

Type of subfloor	Applicability
Hardwood flooring	○*
Vinyl tile or sheet	○
Vinyl cushion floor	○
Marble or ceramic tile	○
Mortar or concrete	×
Tatami or carpet	×

*Adhesion strength of Fabric Floor may differ according to the type of existing floor covering. Please check how it works with a sample tile in advance.



Lay onto the floor

Once the layout is determined, remove the film and place each piece one by one. Carefully align from the edge while making sure the pile fibers do not get caught or tangled.



Complete

Apply downward pressure to ensure it sticks firmly and the installation is now complete.

Recommended installation method

Aligning the arrow marks printed on the backing of the products will ensure a beautiful finish. For the recommended installation method for each product, please refer to p.54 - 55.

Quarter turn

A method that alternates the direction of the arrow marks between upward and rightward.



Monolithic

A method that aligns all arrow marks in the same direction.



For detailed video



Scan this code for Installation and maintenance guide.




INFO 4 Maintenance guide

► Maintenance twice a week

Vacuum regularly to efficiently remove dust and debris.

The basic maintenance for TOLI Fabric Floor is regular vacuuming. Here are some tips for effective vacuuming.



Twice a week

Daily vacuuming is ideal, but that can be challenging. At least vacuum thoroughly twice a week. Robotic vacuums can be used, allowing for smooth maintenance without shifting or curling.



*For the use of robotic vacuums, refer to the manufacturer's usage guidelines.



Vacuum against the pile

Vacuum in the opposite direction of the pile on Fabric Floor. This will lift the fibers and ensure thorough removal of dust down to the roots.



Moving slowly is key

A recommended speed is at least 20 seconds per square meter. Dust tends to accumulate in areas with heavy foot traffic, seating, or eating, providing a food source for dust mites. Focus on areas where dust is likely to collect and vacuum slowly to ensure thorough cleaning.



For stubborn fiber debris, use adhesive tape.

It is difficult to remove hair and fiber debris that becomes entangled. In such cases, using adhesive tape can effectively clean them up.



► Monthly maintenance

Maintain the cleanliness of the carpet by wiping it once a month.

If the entire Fabric Floor appears to be slightly dirty, a damp wipe is recommended.

How to select detergents



In general, use a neutral detergent that is used for household or laundry purpose. Detergents without surfactants, or those that are water-based or plant-based, can help to minimize residue.

Procedures for wiping clean




STEP

- ① Start by wiping the surface with a cloth that is wrung out tightly.
- ② If the dirt remains, dissolve a neutral detergent in water and use it for cleaning.
- ③ Once the wiping is complete, use a cloth soaked in warm water and wrung out tightly to remove any remaining detergent.
- ④ Finally, use a dry, clean cloth to buff the surface.

Tips for Wiping

Apply pressure while wiping in various directions. Always use a clean part of the cloth and rinse it frequently.



For stubborn stains

Basic cleaning should be done with water by hand washing. For tough stains, a neutral detergent is recommended.

The soiled parts can be removed and washed separately. When washing in areas like the bathroom, ensure proper ventilation.

【 Washing method 】


- Rinse the dirt away with water. Using a sponge can be effective.
- If the dirt is difficult to remove with water alone, dilute a neutral detergent with water and use it.
- To ensure no detergent residue remains, rinse thoroughly with clean water. While the backing side can get wet, it dries faster if kept relatively dry.

*Insufficient rinsing can reduce the sticking effect and may lead to slipperiness.



【 Drying method 】

- First, shake out or absorb as much water as possible with your hands or a towel. If the pile direction appears uneven, align the fibers using a soft brush.
- Air dry in a well-ventilated area. To prevent deformation, lay the item flat or lean it upright as straight as possible. A leaning rack can be useful for drying.
- When standing the item on the floor, occasionally change the side in contact with the floor to speed up the drying process.
- Using a flat-drying rack can speed up the drying process.



【 Caution 】



*Washing machines and dryers cannot be used. They may cause deformation of the product and negatively impact the machines. Please hand wash only.

Scan this code for Installation and maintenance guide.



INFO 5 Product Specifications

	LOOP PILE							
Product name	Attack 350NE Ripple Palette Neo p.16	Attack 8000 Sound Cut p.20	Attack 1100 Soufflé Knit p.22	Attack 950NE Soft Loop Neo p.26	Square 2100 Sisaloop p.28	Square 4200 Suzukasuri p.30		
Number of colors (★: New color)	               	   	   	   	    	   		
Size	400mm×400mm				500mm×500mm			
MOQ	10pcs, in increments of 1, per each product (Choose colors freely)							
Package	10pcs/box (1.6㎡)				10pcs/box (2.5㎡)			
Specifications	Pile	100 % Polypropylene				100% BCF Nylon (Solution Dyed & Space Dyed)		
	Backing	SOFT BACK Q (self-stick backing)	SOUND CUT Q (self-stick backing)	SOFT BACK Q (self-stick backing)				
	Overall thickness	9.3mm	10.5mm	9.8mm	9.3mm	9mm	7.5mm	
	Pile height	H5mm ~ L3mm		H7mm ~ L3mm	H5mm ~ L3mm		H5mm/L3mm	3mm
		Multi level loop pile		Textured loop pile			Loop pile	
	Gauge	1/8		1/10	1/8		1/10	
Stitch	14.0		12.5		13.5	12.5		
Flame-retardant	E2240119	E2240118	E2240117	E2240120	E2110090	E2110095		
Formaldehyde Emission Grade	F ¹ ☆☆☆☆ J24-31936	F ¹ ☆☆☆☆ J24-31939	F ¹ ☆☆☆☆ J24-31938	F ¹ ☆☆☆☆ J24-31937	F ¹ ☆☆☆☆ J11-30768	F ¹ ☆☆☆☆ J14-30987		
Deodorize	-							
Stain-resistant	-							
Sound insulation	 ΔLL-4	 ΔLL-5	 ΔLL-3		-	 ΔLL-3		
Good Design Award								
Others	     				       			
Recommended installation method								
Country of origin	Made in Japan							
Notes	-		※8	※1	-	※4		

[Notes]

- ※1 Due to striped designs, the crossover point of joints may appear to be misaligned.
- ※2 Occasionally the direction of cut-piles are partly broken in part, which looks like color shading. This is one of the characteristics of cut-pile carpets and not a manufacturing defect.
- ※3 Right after installation, color shading could be seen on the floor. This is just because surface piles partially lie down. With the passage of time, it will disappear.
- ※4 Each piece has variations in color and pattern. If there is a noticeable difference in color or pattern after installation, replacing individual pieces can achieve a more natural appearance.

	CUT PILE / CUT & LOOP PILE				Woven	
Product name	Attack 270 Canvas Fine p.32	Square 2400 Soware p.36	Square 4500 Stella Cross p.40	Kidsroad Panel Carpet p.44	Textile Floor 7000 Ryouori p.46	
Number of colors (★: New color)	             	           	   		    	
	Size	400mm×400mm	500mm×500mm	500mm×500mm	400mm×400mm	500mm×500mm
MOQ	10pcs, in increments of 1, per each product (Choose colors freely)			1 box (6 pcs), available in case increments	10pcs, in increments of 1 (Choose colors freely)	
Package	10pcs/box (1.6㎡)	10pcs/box (2.5㎡)		6pcs/box (0.96㎡)	10pcs/box (2.5㎡)	
Specifications	Pile	100% BCF Nylon		100% BCF Nylon (Solution Dyed)	100% BCF Nylon (Surface material) 100% Polyester	
	Backing	SOFT BACK Q (self-stick backing)				
	Overall thickness	9mm	10mm		7mm	
	Pile height	5mm	7mm	H6mm ~ L3.5mm	5mm	—
		Cut pile		Cut and loop pile	Cut pile	Woven
	Gauge	1/10				—
Stitch	9.5	10.5		9.5	—	
Flame-retardant	E2170228	E2110093	E2240116	E2140089	E2110097	
Formaldehyde Emission Grade	F☆☆☆☆ J17-31269	F☆☆☆☆ J11-30771	F☆☆☆☆ J24-31940	F☆☆☆☆ J14-30991	F☆☆☆☆ J11-30774	
Deodorize				—		
Stain-resistant						
Sound insulation	 ΔLL-3	—	 ΔLL-3		—	
Good Design Award						
Others	      				    	
Recommended installation method			 	—		
Country of origin	Made in Japan					
Notes	※2 ※3			※6 ※7	※5	

※5 Refer to p.57 for "Important Notes on Textile Floor 7000 Ryouori"

※6 Coordination is possible with the plain design Attack 270 Canvas Fine (p.32), but there may be slight differences in color and overall thickness.

※7 Due to the special manufacturing process, the self-stick backing and packaging of this product differ from other series. Also, the backing does not have protective film.


※8 Due to its 3-dimensional texture, the level difference might be caused on the joints of tiles. This is part of the pattern and not a manufacturing defect.

INFO 6 Functions that enhance everyday life

► Stays in place

Safe and comfortable with a self-stick backing that stays securely in place.

A specially treated backing that firmly sticks without damaging flooring or surfaces. No extensive installation is required; anyone can easily lay it down by simply placing it. It won't shift unless lifted. Additionally, it can be repeatedly installed and removed without losing its effectiveness.



► Absorbs impact

With just the right amount of cushioning, it provides added protection in case of an unexpected fall.

By laying Fabric Floor over hardwood flooring or other surfaces, it helps cushion the impact on the body in case of an accidental fall.

	G-value	m/s ²	Evaluation
Tatami	55	539	S
Attack 350NE Ripple Palette Neo	104	1019	A
Attack 270 Canvas Fine	105	1029	A
Hardwood flooring	143	1401	C

A lower G-value indicates better impact absorption and higher safety during a fall.

*Based on TOLI internal data. The values are test results and are not guaranteed.

【Criteria for Evaluation】

Rank	Test results	m/s ²	Applications
S	< 100G	< 980	Areas where injury prevention is a priority, especially in terms of safety during falls
A	> 100G, < 115G	980~1127	Areas with a relatively higher risk of falls
B	> 115G, < 130G	1127~1274	Areas for regular walking where safety during falls is desired
C	General flooring (> 130G)		Areas where regular walking takes place

► Resistant to stain

Water-repellent and stain-resistant coating to prevent dirt.



Products with the stain-resistant mark are treated to resist dirt, making them less prone to staining and easier to clean when soiled.

*Refer to pages 54-55 to check whether the product has the mark.

Can choose to clean only the stained pieces.

You may hand wash the pieces when stains become noticeable. Simply remove the stained pieces for easy and convenient cleaning.



► Slip-resistant

Carpet is the secure and dependable choice for your flooring.

Carpet is a flooring material with excellent slip resistance. It not only helps prevent falls, which are common household accidents, but also reduces strain on pets' joints and limbs.

Slip Resistance	
	Slip resistance coefficient C.S.R. * D'
Attack 350NE Ripple Palette Neo	0.55
Attack 270 Canvas Fine	0.56
Hardwood flooring	Around 0.3

The larger the C.S.R. * D' value, the less likely pets are to slip.

*Based on TOLI internal data. The values are test results and are not guaranteed.

► Reduces noise

Reduces the impact of everyday noise on the floor below.

Installing Fabric Flooring over hardwood flooring or other surfaces helps reduce various household noises and minimizes their transmission to the floor below.

Grade of Floor Impact Sound Reduction Performance (Standard Performance Level)				
	ΔL rating	Estimated L-value (traditional method)	Chair movement noise, object drop noise, etc. *	Actual feeling *
Attack 8000 Sound Cut	ΔLL(I)-5	L40	Almost no sound	Noise from the upper floor is hardly noticeable. There is a sense of it, but it is not bothersome.
Attack 350NE Ripple Palette Neo	ΔLL(I)-4	L45	Faint sound	A state where some awareness of activity on the upper floor is present. For example, a spoon being dropped may be faintly heard.
Attack 270 Canvas Fine	ΔLL(I)-3	L50	Sounds	Awareness of activity on the upper floor is present. The sound of dragging a chair can be heard.
Hardwood flooring (no sound reducing performance)	N/A	L65	Noisy	Activities of residents in the upper floor unit are clearly perceptible.

*Slab thickness: 160mm

*The stated ratings for each product are test values measured under specific conditions determined by TOLI and are not guaranteed values.

*The estimated L-value (traditional method) generally corresponds as stated above, but there may be variations depending on the product. If more details are needed, measurements are necessary.


★ Based on the Japan Architectural Society's "Standards and Design Guidelines for Sound Insulation Performance of Buildings (Second Edition)"

*Based on the Japan Carpet Industrial Association's "Revised Edition: Carpets are Wonderful"

► Keep the air clean

Minimizes the spread of household dust.

Carpets have the characteristic of trapping dust within the fibers (dust pocket effect), which helps suppress the spread of house dust containing dust mites and allergens, keeping the air clean. With regular cleaning, carpets are highly hygienic flooring options.




Based on the Japan Carpet Industrial Association's "Revised Edition: Carpets are Wonderful"

Deodorant function helps control unpleasant odors.



Products with the mark on the left absorb cigarette odors, the four major household odors, and harmful formaldehyde. The effect lasts for an extended period, keeping the room air clean for a long time.

*Refer to pages 54-55 to check whether the product has the mark.



INFO 7 Functional Marks and Notes



Anti-Dust Mite Treatment Mark

Anti-dust mite treatment has been applied to help reduce the growth of mites. However, it is difficult to completely prevent mites with just interior materials like carpets. Please ensure regular maintenance and ventilation.



Hand Washable

Stained areas (pieces) can be removed and cleaned by hand. After washing, ensure thorough drying in the shade.



Shed-free Mark

The carpet with this mark uses filament yarns made from continuous long fibers, eliminating the problem of shedding.



Underfloor Heating Compatible Mark

Can be used as a finishing material for underfloor heating.

*If there is TOLI vinyl flooring installed over the underfloor heating base, it is not possible to lay Fabric Floor on top of it.



Sound insulation Mark

This mark indicates the grade of lightweight impact sound reduction performance. The number inside the mark represents the ΔL grade. A higher grade indicates better performance and greater soundproofing effectiveness in reducing noise transmission to the floor below.

*The listed grades for each product are based on TOLI internal data and measurements, and are not guaranteed values.



Stain-Resistant Mark

A guide to the product's stain resistance. It resists staining and is easy to clean during maintenance. Regular cleaning is most effective for preserving appearance; proper care is important.



Deodorant Mark

Neutralizes unpleasant odors such as cigarette smoke and pet smells. Also reduces formaldehyde.

Durability Level

Each product's durability is assessed and ranked based on a comprehensive evaluation of product specifications, resistance to wear, static load capacity, and abrasion resistance data.



Suitable for spaces where barefoot use is common, such as residential areas and early childhood facilities.

F☆☆☆☆ Mark

This unified mark is based on the voluntary standards for VOC (formaldehyde) emissions established by the Interior Fabrics Performance Evaluation Council. F☆☆☆☆ indicates the highest level.



Eco-friendly product mark

This product is certified by TOLI as contributing to the reduction of environmental impact.



Pet-Friendly Mark

This product is designed to be resistant to noticeable scratches from pet claws and to provide a surface that helps prevent pets from slipping.



Eco Mark

This product is recognized for having a low environmental impact throughout its entire lifecycle, from production to disposal, and for contributing to environmental conservation.



GOOD DESIGN

Good Design Award Mark

Product that has been awarded the Good Design Award, organized by the Japan Institute of Design Promotion.

【Indication of sound insulation performance】

The traditional notation, such as "L45," referred to as the "estimated L grade," represented the performance of a building (spatial performance) with flooring materials installed. However, this notation could lead to the misunderstanding that installing flooring materials labeled "L45" would always result in an L45 spatial performance, regardless of the floor structure. To avoid this confusion, the performance of the flooring material itself is now represented as the "Floor Impact Sound Reduction Performance Grade (ΔL Delta L grade)." The ΔL Delta L grade categorizes flooring materials into three categories, each with a different testing method. However, for Category III, the testing method for Category I (measuring carpet and underlay without using grippers) can be used as a substitute.

Category of flooring	Applicable TOLI products
Category I	Carpet tile, Broadloom carpet, TOLI Fabric Floor, Vinyl Sheet, Vinyl Tile, Underlay Sheet, FABTEX Tile series
Category II	—
Category III	Broadloom carpet with gripper-method installation
ΔL rating refer to	$\Delta LL-5$ $\Delta LL-4$ $\Delta LL-3$ $\Delta LL-2$ $\Delta LL-1$
Estimated L-value (traditional method)	L40 L45 L50 L55 L60

In general, the above conversion applies, but there may be slight differences depending on the product, so detailed measurements are necessary.

Indication example

$\Delta LL (I) - 3$

Category of flooring

Recommended installation method

Aligning the arrow marks printed on the backing of the products will ensure a beautiful finish.

Quarter turn

A method that alternates the direction of the arrow marks between upward and rightward.



Monolithic

A method that aligns all arrow marks in the same direction.



Important Notes for Textile Floor 7000 Ryouori

- If the subfloor has unevenness, gaps, or irregularities, these may become noticeable on the surface of the Textile Floor, or cause height differences at the seams. Height differences at the seams can lead to fraying, fuzzing, or damage to the seams. Therefore, please ensure that the flooring is installed on a smooth subfloor.
- Please be aware that dropping or dragging heavy objects on the surface may cause it to turn white.
- Please note that there may be slight irregularities or bends in the surface pattern. This is due to the use of actual woven fabric to achieve a textured look, and is a characteristic of the material.
- In some parts, there may appear to be slight color variations, but this is intentional to achieve the texture of the woven fabric.

Notes for Selection

- For detailed information on each mark, please refer to the "TOLI Commercial Flooring."
- This product is developed for residential use. Please avoid walking on it with shoes.
- The Anti-Dust Mite Treatment Mark indicates whether the product has been treated for dust mites. However, it is not possible to achieve complete dust mite prevention with interior materials like carpets. Please ensure proper daily maintenance and ventilation.
- There may be usage restrictions based on various laws and regulations. Please check the relevant laws and regulations in advance.
- When installed over underfloor heating, it may take longer for the floor to heat up.
- As a textile product, the actual thickness may vary slightly from the stated measurement.
- Some of the photos in this catalog include composite images.
- The photos and images in this catalog may differ slightly from the actual product. Please be sure to verify with a sample book or samples before making your final selection.
- This catalog is current as of October 2024. Information may be subject to change without notice.

Notes on Installation

- Please read the "TOLI Fabric Floor Installation Manual & Maintenance Guide" and the "TOLI Commercial Flooring" before proceeding with the installation.
- After removing Fabric Floor, the underlying floor may become slippery and pose a safety hazard, so avoid using Fabric Floor on stairs.
- When installing on underfloor heating with vinyl flooring, the self-stick material may cause staining or color changes in the underlying flooring. Please verify the type of surface flooring before proceeding with installation in areas with underfloor heating.
- For full adhesive installation, ensure that the substrate is smooth, dry, and robust, and maintain appropriate installation conditions. Failure to adhere to the specified installation conditions may result in issues such as seam gaps, lifting, or bubbling of Fabric Floor.
- When you install TOLI FABRIC FLOOR like an area rug, FF wood grain edging and FF corner edging will be of your help to deal with the level difference on the edges.
- After installation, heavy loads from cart traffic or furniture movement may damage or cause the pile to peel off. To prevent this, please take precautions such as using protective boards like plywood.
- When removing Fabric Floor installed with the full adhesive method, the self-stick backing may remain on the substrate, and its effectiveness will decrease. Please note that it cannot be reinstalled on wooden flooring, vinyl tiles, or similar materials. When disposing of used fabric floors or leftover installation materials, follow local regulations and municipal guidelines. Burning Fabric Floor will release harmful gases.
- The backing is treated with self-stick finish, allowing you to install it directly on substrates such as hardwood flooring or cushion floors without the need for additional adhesives. However, please be aware that if the substrate has scratches or is weak, it may damage the surface of the substrate.

- Compared to products with a flat surface, this product has the characteristic unevenness of textile materials, which may make it more prone to retaining dirt. Please keep this in mind.
- If left in contact with moisture for an extended period, the surface may turn white. This phenomenon does not affect the quality of the product. Once the moisture source is removed, the surface will dry over time, and the whitening will disappear, returning to its original state.
- If fraying occurs on the surface fibers at seams or edges in partially laid areas, please trim the frayed parts with scissors as soon as possible, cutting only the necessary amount. Be careful not to pull or tug on the frayed fibers, as this can cause the fraying to spread further.
- Please be aware that using vacuum cleaners with brushes or robot vacuums may damage the pile. When using a robot vacuum, be sure to check the usage precautions provided by the respective appliance manufacturer.

- Adhesion strength of Fabric Floor may differ according to the type of existing floor covering. Please check how it works with a sample tile in advance.

Maintenance and Usage Precautions

- In case the stain is left on the surface, get rid of it carefully so that it will not spread out. Please bear in mind that some chemicals will become difficult to be removed over time.
- If the pile or woven fibers become frayed, immediately trim the frayed area with scissors to prevent further fraying.
- To maintain appearance and prevent dust accumulation, perform regular maintenance using a vacuum cleaner, adjusting the frequency based on foot traffic.
- After washing, ensure the fabric is completely dry before use. Using or storing it while still damp can lead to deformation, discoloration, deterioration, pile damage, or mold growth.
- For drying and storage, ensure the item is kept on a flat surface to prevent deformation. Do not wash or spin-dry it in a washing machine. When hand washing with detergent, rinse thoroughly. Avoid using a dryer, as it can cause deformation. If washing in a bathroom or similar area, ensure proper ventilation to prevent odors specific to the product from lingering.
- Dry cleaning is not possible. For washing, use the specified detergent. When hand washing with detergent, make sure to rinse thoroughly.
- Indentations may remain due to localized pressure from furniture or other heavy objects.
- Stain removers, bleach, and mold removers may cause deformation of the pile.
- Direct sunlight and other environmental conditions may cause fading or discoloration.
- Certain rubber products, such as rubber feet on furniture or rubber mats, as well as paints, preservatives, and insecticides, may cause staining and discoloration. Please avoid direct contact with these materials.
- The color of the backing may vary depending on the product, but this does not affect the quality.
- After removing the fabric floor, the underlying surface (such as hardwood flooring) may become slippery, or the self-stick backing may stick to the substrate. To mitigate this, thoroughly wipe the surface with a cloth soaked in a neutral detergent suitable for the substrate (a microfiber cloth is particularly effective), and then wipe off any remaining detergent.
- The product has the indigenous odor from its materials. Ventilate the room from time to time.
- When using Fabric Floor on surfaces treated with wax or coating agents, temporary marks from the self-stick backing may remain on the surface of the flooring. However, these marks will fade over time. Please note that depending on the type of wax, the marks may be more difficult to remove.

TOLI is ISO9001 certified.

TOLI FABRIC FLOOR

www.toli.co.jp

You can download image data from the product search content

TOLI Corporation- Global Department

2-10-4 Higashi-Shinbashi, Minato-ku, Tokyo,
105-0021 Japan
Phone : +81-3-5403-2078
Fax : +81-3-5472-6307
<https://toli-overseas.com>
E-mail : toli_contact@toli.co.jp

TOLI Corporation Singapore Branch

1 North Bridge Road, #21-10, High Street Centre,
179094, Singapore
Phone : +65-3138-5052
Fax : +65-6491-5234
<https://toli-overseas.com>

TOLI (SHANGHAI) Corporation

Room 314, UYAO55 Building 1,
No.55 Yuyao Rd., Jingan, Shanghai
200040 China
Phone : +86-21-6071-0688
<http://www.tolish.com.cn/>

TOLI North America Corporation

TOLI North America Corporation
9247 Research Drive Irvine,
CA 92618, U.S.A.
Phone : +1-910-999-8654
<https://www.toli-na.com>
E-Mail : info@toli-na.com

■ TOLI Showrooms are located at Tokyo, Osaka, Nagoya, Sapporo, Fukuoka & Shanghai.
Visitors are advised to contact Global Department or Shanghai office, beforehand.

