
TOLI

No Wax
Vinyl Sheet

MATURE NW MATURE NW・LUMINOUS

マチュアNW
マチュアNW・ルミナス



Proudly Made in Japan



Design × Environmental Sustainability

Mature NW combines exceptional design quality with environmental sustainability enhancing spaces from the floor.


A diverse lineup suitable for various spaces

With new designs added, the lineup now includes a total of 90 items. This extensive range meets various needs across different spaces, from residential homes to commercial facilities.



Pursuing a realistic design with a matte finish

The matte texture, with reduced gloss, enhances the realistic feel of the material. Its delicate and elegant appearance supports the creation of an ideal space.




Contributing to the reduction of environmental impact

30% recycled materials used (by weight)

For over 40 years, TOLI has been using recycled materials. By leveraging on its long-standing technical expertise and material procurement capabilities, TOLI utilizes materials that would otherwise be disposed of as industrial waste. Mature NW contains 30% recycled materials in its product composition.

Eco Mark certified

Mature NW is an Eco Mark certified product and complies with the Japan's Green Purchasing Law.



*These figures are calculated based on our company's own evaluation criteria.

*The CO₂ emission reduction rate is compared to the same product without the use of recycled materials.


Mature NW
INDEX



06 | WOOD



26 | STONE



40 | VARIOUS



45 | LUMINOUS



46 | SKIRTING

Pride in Performance

No wax maintenance required,
Antiviral, Antibacterial

NW (No Wax) specification requires no wax maintenance. It maintains its cleanliness over a long period with just preventive and daily cleaning, reducing maintenance costs. Additionally, the antiviral and antibacterial performance provides high assurance of hygiene.



Highly durable UV coating

Highly durable stain-resistant clear wear layer

0.5mm thickness provides excellent durability

Print layer

Backing

Excellent durability
provided by 0.5mm clear wear layer

Layer diagram


The combination of a highly durable UV coating and 0.5mm thick, highly durable, stain-resistant clear wear layer ensures excellent durability. It protects the product's appearance and design from wear and tear caused by foot traffic and other damage.

Abrasion test: 4,000rev. (in accordance with JIS A 1453)


Long-lasting appearance and design

Normal vinyl sheet

MATURE NW



Partially damaged



No damage



*Unless otherwise stated, all data are from internal tests. The figures provided are test results conducted in-house and are not guaranteed values.

WOOD



FS4238 p.25



FS4207 p.10



FS4237 p.24



FS4224 p.18



FS4218 p.15



FS4209 p.11



FS4231 p.22



FS4216 p.14



FS4214 p.13



FS4226 p.19



FS4208 p.10



FS4203 p.8



FS4210 p.11



FS4211 p.12



FS4221 p.17



FS4227 p.20



FS4229 p.21



FS4217 p.15



FS4212 p.12



FS4213 p.12



FS4202 p.7



FS4201 p.6



FS4204 p.8



FS4225 p.18



FS4222 p.17



FS4236 p.24



FS4228 p.20




FS4230 p.21



FS4215 p.13



FS4220 p.16



FS4234 p.23




FS4239 p.25



FS4235 p.23



FS4206 p.9



FS4223 p.17



FS4205 p.9



FS4232 p.22



FS4233 p.22



FS4219 p.16

*The actual product may differ from the image shown in the photo.
*The scale of the product codes may vary. Please refer to the respective pages for detailed information on each product.




TOLI Ai Simulator Image Fit

**Quick simulation,
just a tap
on your smartphone**

Get started with the simulation
by scanning this QR code!



1 Take photos or
upload images.



2 Select color
and design



You can also simulate using:

1. The image of the space you want to simulate by uploading it.
2. Pre-prepared market-specific space images available in "Image Fit."


3 Composite image completed



STONE / VARIOUS / LUMINOUS




FS4266 p.38



FS4255 p.33



FS4281 p.43



FS4243 p.27



FS4276 p.41



FS4101 p.45



FS4269 p.39



FS4277 p.42




FS4249 p.30



FS4261 p.36




FS4254 p.33



FS4274 p.40



FS4282 p.43



FS4103 p.45



FS4262 p.36



FS4278 p.43



FS4263 p.37



FS4267 p.38



FS4246 p.28




FS4248 p.29




FS4283 p.44




FS4251 p.31



FS4272 p.39



FS4256 p.34



FS4268 p.38



FS4104 p.45



FS4245 p.28



FS4242 p.26




FS4260 p.36



FS4271 p.39



FS4257 p.34




FS4102 p.45



FS4273 p.39




FS4275 p.40



FS4284 p.44



FS4241 p.26



FS4252 p.31



FS4247 p.29



FS4240 p.26



FS4279 p.43



FS4265 p.37




FS4264 p.37



FS4258 p.35




FS4270 p.39



FS4250 p.30



FS4244 p.27



FS4253 p.32




FS4286 p.44



FS4285 p.44



FS4280 p.43



FS4259 p.35

*The actual product may differ from the image shown in the photo.
*The scale of the product codes may vary. Please refer to the respective pages for detailed information on each product.



Pick up New Pattern

A refreshing choice to enhance the distinctive style of your space.

Featuring new patterns that expand the possibilities of interior design.

These designs feature the exceptional attention to detail that is uniquely offered by TOLI.

A vibrant grass design that brings out the refreshing moisture and calming essence of nature

The beauty of grass is intricately captured, creating a pattern with a remarkable sense of depth. The lush, vibrant blades spread seamlessly across the floor.


Its non-directional design allows for versatile use in large spaces, making it perfect for commercial areas like pet corners or food courts, where a touch of greenery is desired. Even indoors, it brings the refreshing moisture and calming essence of nature.



02 - FS4201 (Random parquet)



03 - FS4276 (Champagne effect)



04 - FS4202 (Brass oak)



01 - FS4258 (Material mix)

Revitalize the space with a perfect blend of design and performance

The "Material Mix" (Photo 01) combines the solid texture of stone with the warmth of wood grain, maintaining the charm of natural materials while offering a fresh look. It's a design that pairs well with spaces that exude a sense of warmth and sophistication. The "Random Parquet" (Photo 02) features a refined, detailed wood grain parquet design that complements modern interiors. The "Champagne Effect" (Photo 03) is a clean, elegant design that adds silver and gold lines to limestone, bringing a touch of sparkle to clinics and wet areas. The "Brass Oak" (Photo 04) blends the textures of oak and brass, adding a unique accent to any space.

Design that brings the texture of outdoors into your interior

A design that mixes various types of stone, creating a rich texture and depth. It offers a sense of natural comfort in any space, from residential homes to public facilities.



FS4247 (Mixing stone)



Category

WOOD




FS4201

Random parquet

RANDOM PARQUET

A new design with a random layout of parquet patterns. It adds a sense of rhythm to modern classic spaces.

FS4201 **NEW**




Pattern repeat:
Approx. 42cm×46cm
Joint alignment is impossible due to manufacturing constraints.



MATURE NW

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm




Brass oak

FS4202

BRASS OAK

An oak pattern that combines the warmth of aged wood with the sheen of brass. The rich, smooth wood grain is highlighted with a subtle sheen, allowing it to stand out even in compact spaces.

FS4202 NEW



Plank width : Approx. 13cm (cm)
Joint alignment is impossible due to manufacturing constraints.



MATURE NW

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm

HERRINGBONE

Although it features a unique herringbone pattern, the subtle variation in wood grains enhances compatibility with a wide range of interiors.

French herringbone



FS4203 NEW



FS4204



Plank width : Approx. 9cm (cm)
Pattern width : Approx. 23cm
Joint alignment is impossible due to manufacturing constraints.



FS4203



FS4204

MATURE NW
Sheet size: **1820**mm width × **20**m Overall thickness **2**mm

Metallic herringbone




FS4205

Fumed herringbone



FS4206




Plank width : Approx. 10cm (cm)
Pattern width : Approx. 23cm
Joint alignment is impossible due to manufacturing constraints.

Herringbone pattern featuring the striking color variations of wood grain achieved through a smoking process.



FS4205



Plank width : Approx. 5cm (cm)
Pattern width : Approx. 23cm
Joint alignment is impossible due to manufacturing constraints.

A herringbone pattern with a distinctive metallic texture made possible by advanced printing technology, utilizing high-luminance ink to highlight the wood grain's vessel lines. The gray tone creates a cool, calming atmosphere.



FS4206

MATURE NW
Sheet size: 1820mm width × 20m Overall thickness 2mm



Natural elm

FS4207

FS4207




FS4207 NEW

NATURAL ELM

The gentle tones and smooth texture express the natural charm of elm. The soft, muted tones add a tranquil flow and depth to the space.



FS4208 NEW



Plank width : Approx. 15cm (cm)
Joint alignment is impossible due to manufacturing constraints.

MATURE NW

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm


Sap oak



FS4209



FS4210



Plank width : Approx. 15cm (cm)
Joint alignment is impossible due to manufacturing constraints.

SAP OAK

A tree with distinctive character utilizes oak sapwood. The elongated sapwood serves as a striking accent on the floor. Pearl ink is applied to highlight the wood's glossy texture.



FS4210

MATURE NW
Sheet size: 1820mm width × 20m Overall thickness 2mm

Oak




FS4211 NEW



FS4212 NEW



FS4213 NEW



Plank width : Approx. 10cm (cm)
Joint alignment is impossible due to manufacturing constraints.

OAK

The delicate wood grain and subtle contrast create a gentle expression. The classic oak pattern is versatile, fitting seamlessly into a variety of spaces, from commercial facilities to residential homes.

MATURE NW
Sheet size: 1820mm width × 20m Overall thickness 2mm



Natural oak

NATURAL OAK

FS4214



FS4214



FS4214

Matte UV coating provides a premium finish that mimics the appearance of solid wood.



FS4215



Plank width : Approx. 15cm (cm)
Pattern match not required


MATURE NW
Sheet size: **1820**mm width × **20**m Overall thickness **2**mm



Misty oak



FS4216



Plank width : Approx. 15cm (cm)
Joint alignment is impossible due to manufacturing constraints.

FS4216

MISTY OAK

The matte texture and subtle sheen of pearl ink offers a soothing effect, complemented by the simple yet rich design of the wood grain pattern.



MATURE NW
Sheet size: **1820**mm width × **20**m Overall thickness **2**mm



FS4217


SILKY NUT

A stunning walnut pattern featuring a smooth color change and a subtle, refined gloss created by pearl ink.

Silky nut



FS4217



Plank width : Approx. 15cm (cm)
Joint alignment is impossible due to manufacturing constraints.



FS4218


SHINE MAPLE

The soft sheen and luster of maple evoke a calm and pristine atmosphere.

Shine maple



FS4218



Plank width : Approx. 15cm (cm)
Pattern match not required

MATURE NW


Sheet size: **1820**mm width × **20**m Overall thickness **2**mm

BAROLO OAK

The gradation of the dark tones, pearl ink gloss, and subtle variations in color helps to create a refined and luxurious atmosphere.



Barolo oak



FS4219



Plank width : Approx. 13cm (cm)
Joint alignment is impossible due to manufacturing constraints.




SHINE WALNUT

The irregular color variations are strikingly beautiful, with a walnut pattern showcasing a bold contrast of elements.


Shine Walnut



FS4220



Plank width : Approx. 11.5cm (cm)
Pattern match not required



MATURE NW
Sheet size: 1820mm width × 20m Overall thickness 2mm




FS4221

Shiny cherry



FS4221



Plank width : Approx. 15cm (cm)
Pattern match not required



FS4223


Walnut



FS4222



FS4223



Plank width : Approx. 15cm (cm)
Pattern match not required

MATURE NW

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm

Shinshu Hinoki, cypress

Expressing the luster and elegance found in Japanese forests.
The natural variations created by the sapwood
and heartwood bring a calm and refined beauty to the space.




FS4224

Shinshu Hinoki, cypress



FS4224



Plank width : Approx. 13cm (cm)
Joint alignment is impossible due to manufacturing constraints.


Cedar

A design that brings the charm of Hita cedar into the modern era.
The natural rhythm found in the knots, the shine of the sapwood,
and the flowing grain patterns add a touch of traditional
Japanese elegance and refined beauty to the space.




FS4225

Cedar



FS4225 **NEW**



Plank width : Approx. 15cm (cm)
Joint alignment is impossible due to manufacturing constraints.

MATURE NW
Sheet size: **1820**mm width × **20**m Overall thickness **2**mm

Sakura

The luster created by pearl ink reflects the beauty of Sakura on the floor.
The design skillfully incorporates the delicate wood texture and sapwood, bringing the warmth of nature into the interior.

Sakura

Southern and central Honshu
(Yoshino Sakura of Nara
Prefecture, etc.)

Shinshu Hinoki, cypress

Southern and central
Honshu
(including Nagano
Prefecture etc.)

Cedar

Oita Prefecture (Hita cedar)



Plank width : Approx. 15cm (cm)
Joint alignment is impossible due to manufacturing constraints.

Sakura



FS4226 NEW



FS4226

MATURE NW

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm



FS4227

Talvi oak




FS4227 NEW

TALVI OAK

The chalked finish highlights the delicate wood grain with a soft, white hue, imparting a sense of understated warmth. The wide plank design enhances the space with a bright, open, and elegant atmosphere.



FS4228 NEW



Plank width : Approx. 19cm (cm)
Joint alignment is impossible due to manufacturing constraints.


MATURE NW

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm

Smoky oak



FS4230 NEW



Plank width : Approx. 15cm (cm)
Joint alignment is impossible due to manufacturing constraints.

SMOKY OAK

The smoked finish creates a worn appearance with rich, deep color tones. The subtle, aged wood details impart a classic, antique ambiance to the space.

FS4229 NEW



FS4230

MATURE NW
Sheet size: **1820**mm width × **20**m Overall thickness **2**mm


Bruges aged oak



FS4231



FS4232



Plank width : Approx. 13cm (cm)
Joint alignment is impossible due to manufacturing constraints.

Oak has been smoked and finished to achieve a gray tone, creating a modern and contemporary atmosphere.



FS4231



FS4231




FS4233

Antique oak



FS4233




Plank width : Approx. 15cm (cm)
Pattern match not required

MATURE NW
Sheet size: **1820**mm width × **20**m Overall thickness **2**mm

Grigio crack wood



FS4234



Plank width : Approx. 15cm (cm)
Joint alignment is impossible due to manufacturing constraints.



Barn wood featuring large cracks, pursuing a sense of aged, weathered materials.

FS4234



FS4235

Aged timber marked by bold, curved saw lines that complement an outdoor-themed space.

Forte rough sawn



FS4235



Plank width : Approx. 11.5cm (cm)
Joint alignment is impossible due to manufacturing constraints.



MATURE NW


Sheet size: 1820mm width * 20m Overall thickness 2mm

Reclaimed wood




FS4236

A blend of different aged wood appearances, creating a handcrafted effect.



Plank width : (cm)
Approx. 6~16.5cm(random)
Joint alignment is impossible due to manufacturing constraints.




OSB




FS4237

An OSB-patterned design created by compressing and solidifying wood flakes.



Pattern match not required (cm)



MATURE NW
Sheet size: 1820mm width × 20m Overall thickness 2mm

White-painted wood



FS4238




Plank width : Approx. 11.5cm (cm)
Pattern match not required

Vintage painted wood



FS4239



Plank width : Approx. 11.5cm (cm)
Joint alignment is impossible due to manufacturing constraints.



FS4238



Aged wood pattern that complements a vintage style,
featuring a natural texture with a paint-peeled design.

FS4239

MATURE NW
Sheet size: 1820mm width × 20m Overall thickness 2mm

MATURE NW | MATURE NW | MATURE NW | MATURE NW

Category

STONE



FS4241



FS4240

CONCRETE & MORTAR



FS4242

The bold texture and fine grain of mortar are realistically depicted.
The incorporation of pearl ink with subtle gradations results in a highly refined texture.

Real mortar



FS4240 **NEW**



FS4241 **NEW**



FS4242 **NEW**



Pattern match not required (cm)


MATURE NW

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm



FS4244 / FS4243


Concrete



FS4243



FS4244



Pattern match not required (cm)



FS4243

MATURE NW
Sheet size: **1820**mm width × **20**m Overall thickness **2**mm



Shiny mortar



FS4245



Pattern match not required (cm)

Trendy mortar pattern focused on texture.


FS4245



Concrete tile



FS4246



Pattern repeat: (cm)

Approx. 66cm×45cm

Joint alignment is impossible due to manufacturing constraints.

MATURE NW

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm



FS4240 / FS4247

Mixing stone

MIXING STONE


A design that combines various textures and colors of stone brings a natural sense of calmness and spaciousness to the interior.



FS4247 **NEW**



FS4248 **NEW**



Pattern repeat:
Approx. 7~28cm×7~33cm
Joint alignment is impossible due to manufacturing constraints.




FS4248


MATURE NW
Sheet size: **1820**mm width × **20**m Overall thickness **2**mm

STONE

Stone herringbone



FS4249 NEW



Stone width : Approx. 9cm (cm)
Pattern width : Approx. 23cm
Joint alignment is impossible due to manufacturing constraints.



A herringbone pattern showcasing the exquisite crystalline quality of marble. Enhanced with pearl ink, it conveys a sense of depth and adds a sophisticated touch with its subtle transparency.


FS4249



FS4250

The profound richness of black marble is highlighted in this premium design, making it perfect for a luxurious style. The use of varied tile sizes and pattern variations enhances the space, creating an attractive and engaging environment.

Black marble tile



Pattern repeat:
Approx. 21~64cmx31cm
Joint alignment is impossible due to manufacturing constraints.



FS4250 NEW

MATURE NW
Sheet size: **1820**mm width × **20**m Overall thickness **2**mm



FS4252

Random corso stone

RANDOM CORSO STONE


Random flow patterns create a lively rhythm and sophistication, enhanced by the luxurious crystalline effect from pearl ink. This design elegantly adorns the floor, imparting a soft and refined impression to the space.



FS4251 **NEW**



FS4252



Pattern repeat:
Approx. 21~62cm×31cm
(cm)
Joint alignment is impossible due to manufacturing constraints.



FS4252 **NEW**

MATURE NW

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm




FS4253

Sapporo soft stone



FS4253 NEW



Pattern repeat:
Approx. 42cm×23cm

Joint alignment is impossible due
to manufacturing constraints.

MATURE NW

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm

Sapporo Soft Stone

A design that realistically reproduces Sapporo soft stone.
Its warm tones and soft texture infuse traditional
Japanese spaces with new vitality,
resulting in a modern aesthetic.

Sapporo Soft Stone
Hokkaido




Volcano grand tile



FS4254

Inspired by volcanic magma, this design features lava as its motif. The reddish color variations serve as an accent within the space.




Pattern repeat:
Approx. 66cm×45cm
Joint alignment is impossible due to manufacturing constraints.

Calacatta gold block



FS4255

White marble with elegant gold veining evokes a sense of warmth and luxury.



Stone width : Approx. 15cm (cm)
Joint alignment is impossible due to manufacturing constraints.



FS4254




FS4255

MATURE NW
Sheet size: 1820mm width × 20m Overall thickness 2mm

Noble stone



FS4256



Pattern match not required (cm)



A delicate sense of depth expressed by pearl ink.
Marble pattern featuring thin streaks.

FS4256




FS4257

Serpeggiante



FS4257



Stone width : Approx. 45cm (cm)
Pattern match not required


MATURE NW
Sheet size: **1820**mm width × **20**m Overall thickness **2**mm

Expressing the charm of different materials in a new form.
The design harmonizes the flow patterns of wood and stone,
reflecting a unique character. With muted colors,
it creates a calm impression in the space.

Material mix



FS4258 **NEW**



Stone width : Approx. 13cm (cm)
Joint alignment is impossible due
to manufacturing constraints.




FS4258

Astratto metal block



FS4259



Stone width : (cm)
Approx. 7~15cm(random)
Pattern match not required



FS4259


MATURE NW

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm

Mix stone



FS4260



Stone width : Approx. 15cm (cm)
Pattern match not required



FS4260

Travertine



FS4261



Pattern match not required (cm)

FS4262



The smooth, flowing burrow pattern of travertine creates a pleasing sense of depth in the space.


FS4261

MATURE NW
Sheet size: **1820**mm width × **20**m Overall thickness **2**mm

Ajax



FS4263



Pattern repeat:
Approx. 45cm×26cm
Joint alignment is impossible due
to manufacturing constraints.




FS4263

Vals tile



FS4264



Pattern repeat:
Approx. 45cm×26cm
Joint alignment is impossible due
to manufacturing constraints.

FS4265



FS4265

This tile pattern, inspired by stone from the Vals region of Switzerland, features bold undulations in deep tones, creating a space with a fluid and dynamic feel.


MATURE NW
Sheet size: 1820mm width × 20m Overall thickness 2mm




Serene white marble that blends a sense of translucency with refined elegance.

FS4266

Bianco carrara



FS4266 **NEW**



Pattern match not required (cm)




A terrazzo pattern featuring a mix of colorful aggregates as accents. Simple yet understated, it brings a lively touch to the space.

FS4267

Fiore terrazzo



FS4267 **NEW**



Pattern match not required (cm)

FS4268

MATURE NW

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm



FS4273



FS4270 / FS4269

Cloud stone



FS4269



FS4270



FS4272



FS4271



FS4273



Pattern match not required (cm)

CLOUD STONE

MATURE NW

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm

MATURE NW | MATURE NW | MATURE NW | MATURE NW

Category

VARIOUS



FS4275



FS4274



FS4275

A concrete pattern featuring two types of pearl inks with varying brightness, creating a graphic design that subtly emerges under the light.

SILVER EFFECT


Silver effect



FS4274 **NEW**



FS4275



Pattern match not required (cm)


MATURE NW

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm

CHAMPAGNE EFFECT

A fresh design featuring soft limestone accentuated with champagne-colored glitter. The delicate lines introduce movement, enveloping the floor in refined elegance.

Champagne effect



FS4276 NEW



FS4276 / FS4274

MATURE NW
Sheet size: **1820**mm width × **20**m Overall thickness **2**mm



Lawn

LAWN

A design that realistically replicates grass, with its fresh, deep hues offering a natural moisture and a calming effect to the space.

FS4277 / FS4207 / FS4247



FS4277 **NEW**



MATURE NW

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm




Pattern match not required (cm)



SHINE TWEED

Shine tweed

Pattern match not required



FS4278



FS4279



FS4281



FS4280



FS4282

MATURE NW

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm

VARIOUS

Cross weave Pattern match not required



FS4283



FS4284



FS4283



FS4284

Plain weave Pattern match not required



FS4285




FS4285



FS4286

MATURE NW
Sheet size: **1820**mm width × **20**m Overall thickness **2**mm



Mature NW
LUMINOUS

◀ CONCEPT ▶

Japanese sense of Beauty



New Technologies



The LUMINOUS series sparkles and twinkles with delicate elegance. Inspired by the concept of "Luminance," it features reflective embossing that creates a gleaming surface. The emboss motif is "Kikutsugi-Kiriko," a pattern commonly found in Satsuma Kiriko and Edo Kiriko cut glass. This modern Japanese design, rooted in traditional aesthetics, is brought to life through innovative technology.



GOOD DESIGN




LUMINOUS HIWARE

The motif, known as "Hiware" is created by the traditional ceramic painting technique named "ice crackling", used since the Edo era. LUMINOUS delicately captures the irregular glitter and transparency produced by the fractured ice.



FS4101



Pattern match not required (cm)


FS4102

LUMINOUS AYASUGI

The "twill cedar pattern," a familiar type of twill weave, serves as the motif. It is now widely used as a herringbone pattern and is showcased with a vibrant expression in LUMINOUS.



FS4103



Pattern width : Approx. 4cm (cm)
Joint alignment is impossible due to manufacturing constraints.



FS4104

MATURE NW・LUMINOUS

Sheet size: **1820**mm width × **20**m Overall thickness **2**mm



GOOD
DESIGN



FS4101



FS4103

SOFT HABAKI(skirting), LONG HABAKI(skirting), SASARA HABAKI(Step skirting), Antibacterial & stain-resistant WIDE HABAKI(skirting)



Plain standard



Color No. 23 25 61 42 35 22 19 16 95 56 4 5 78 8 13 6 17 71

Plain standard Plain colored *H600m Round type only Textile *H600m Round type only



Color No. 12 34 96 31 92 93 97 2 15 27 46 38 51 701 704 702 703 706 707

NEW NEW

NEW

Oak grain

Fruit wood grain



Color No. 412 413 416 414 417 411 415 402 405 406 407 409 410 304 301 306 302 305

NEW


NEW! With stain-resistant and anti-bacterial function



STYLE HABAKI (skirting)

A stylish premium skirting that pursues minimal design. It features stain-resistant and antibacterial properties, with newly introduced shadow effects type.

Plain Shadow effect type Wood grain / Abstract



Color No. 112 119 122 192 102 182 183 212 297 902 908 909 901 907

NEW

NEW

NEW

NEW

NEW


NEW

NEW

WAVY HABAKI (skirting)



Vinyl skirting in novel shape. Uniquely colors the space and protects the wall surface.



*For physical color samples, please refer to the same color number of the Plain Colored series.



Childcare facility



Healthcare facility

Specifications, and ordering conditions

	Length	Height	Code		Packaging	● Stocking item ○ Made-to-order item				Conditions for made-to-order *2 Lead time: 3 weeks upon placing order
			Rounded	No rounded		Standard		Colored		
						Rounded	No rounded	Rounded	No rounded	
SOFT HABAKI	909mm	40mm	TH40	TH40RN	25 pcs.	●	○	○	○	300 pcs. (12 ctn.)/ color or more / ctn. unit
		60mm	TH60	TH60RN		●	●	●	○	
		75mm	TH75	TH75RN		●	●	○	○	
		100mm	TH100	TH100RN		●	●	○	○	
LONG HABAKI	25m	40mm	LTHM40	-	1 rolls	●	-	-	-	- 300 m (6 rolls)/ color or more / roll unit
		60mm	LTHM60	-		●	-	-	-	
	50m	60mm	LTH60	LTH60RN		●	○	○	○	
		75mm	LTH75	LTH75RN		●	○	○	○	
		100mm	LTH100	-		●	-	○	-	
Antibacterial & stain-resistant WIDE HABAKI	9m	300mm	WTH300	WTH300RN	1 rolls	●	○	○	○	500 m (56 rolls)/ color or more / roll unit
350mm	WTH350	WTH350RN	○	○		○	○			
SASARA HABAKI	1050mm	330mm width	TKH		10 pcs.	●		○		300 pcs. (30 ctn.)/ color or more / ctn. Unit
	Length	Height	Code		Packaging	● Stocking item ○ Made-to-order item				Conditions for made-to-order *2 Lead time: 3 weeks upon placing order
			Rounded	No rounded		Oak / Fruit		Textile*1		
						Rounded	No rounded	Rounded	No rounded	
SOFT HABAKI (wood grain)	909mm	60mm	TH60	TH60RN	25 pcs.	●	○	-	-	300 pcs. (12 ctn.)/ color or more / ctn. unit
		75mm	TH75	TH75RN		●	○	-	-	
		100mm	TH100	TH100RN		○	○	-	-	
LONG HABAKI (wood grain)	25m	40mm	LTHM40	-	1 rolls	●	-	-	-	- 300 m (6 rolls)/ color or more / roll unit
	50m	60mm	LTH60	LTH60RN		○	○	-	-	
		75mm	LTH75	LTH75RN		○	○	-	-	
		100mm	LTH100	-		○	-	-	-	
Antibacterial & stain-resistant WIDE HABAKI	9m	300mm	WTH300	WTH300RN	1 rolls	●	○	●	-	500 m (56 rolls)/ color or more / roll unit
350mm	WTH350	WTH350RN	○	○		-	-			
	Length	Height	Code		Packaging	● Stocking item ○ Made-to-order item				Conditions for made-to-order
			Rounded	No rounded		Rounded		No rounded		
WAVY HABAKI	909mm	290mm	VTH290	-	10 pcs.	●		-		-
	Length	Height	Code		Packaging	● Stocking item ○ Made-to-order item				Conditions for made-to-order
			Rounded	No rounded		Rounded		No rounded		
STYLE HABAKI (Plain / Shadow effect type)	12m	40mm	STH	-	1 rolls	●		-		
STYLE HABAKI (Wood grain/Abstract)						●				
STYLE HABAKI Outside Corner Trim (Plain / Shadow effect type)	200mm	40mm	STHDE	-	4 pcs.	●		-		-
STYLE HABAKI Outside Corner Trim (Wood grain/Abstract)						●				
STYLE HABAKI Inside Corner Trim (Shadow effect type)						STHIR	●			

We do not produce specifications that are not listed in the table.
*1 Depending on the color of the wall surface, the top edge line may look obvious due to the manufacturing method.
*2 Depending on your order details, additional time may be required for production. Please contact our sales office for more information.

Upon ordering: Please add your color number to the above code.

e.g. TH 40 12 TH 60 RN 12
 Height Color Height No Color
 No. rounded No.

Installation method and Specified adhesive

	Product	Adhesive		
		SOFT HABAKI / LONG HABAKI / SASARA HABAKI	Antibacterial & stain-resistant WIDE HABAKI / WAVY HABAKI	STYLE HABAKI / STYLE HABAKI Outside Corner Trim / STYLE HABAKI Inside Corner Trim
Regular method	Dry mortar, wooden walls, and gypsum board substrate	HABAKI NORI / ECO AR HABAKI NORI	HABAKI NORI / ECO AR HABAKI NORI	HABAKI NORI / Instant glue / jelly-type instant glue
	For the installation at outside corners	CR CEMENT / ECO AR HABAKI NORI	CR CEMENT	

- HABAKI NORI and CR CEMENT are flammable items.
- Do not use CR CEMENT except for the Outside Corner Trim.
- Round-edged skirting is installed after flooring, and Straight skirting is installed before flooring. Prepare smooth and flat substrate before installation.
- For the installation of WAVY HABAKI, please use double-sided tape affixed to the back of the wavy part and TOLI's adhesive.
- For the installation of STYLE HABAKI, be sure to use TOLI's adhesive to avoid having joint gap.
- Use instant glue or jelly-type instant glue when seaming joints of cut skirtings, and joints with an Outside or Inside Corner Trim of STYLE HABAKI.
- STYLE HABAKI(Plain/Wood grain/Abstract) at the internal corners shall be installed by abutting.
- Style skirting (wood grain or abstract) may experience whitening or surface wrinkling if excessively bent or twisted during installation. Please handle with care.

MATURE NW,
MATURE NW・LUMINOUS

Product category: Heterogeneous vinyl floor sheet -FS
Specification: Width x Length 1820mmx20m
Total thickness 2 mm
(surface clear wear layer - 0.5 mm)
Highly durable UV resin coating
Packaging: 20 m/roll
JIS-No. JIS A 5705 vinyl flooring
Floor sheet GB0506143

Installation method

Table with 3 columns: Installation methods, Subfloor, Adhesive. Rows include Regular method (Dry mortar-concrete subfloor), Regular method (Wooden floors), Moisture-resistant method (For Mortar concrete subfloor), and Seam method (Hot welding, Joint Adhesive, TOLI Super SEAM Liquid).

- In the case that TOLI UNDERLAY SHEET is the subfloor, TOLI JOINT SHIELD can be used except for the area where heavy carts come back and forth to give intensive loads to floor seams.
- When swing-type motorized beds are used in medical and welfare facilities, please use epoxy resin-based adhesives (EPOGREY ST), or urethane resin-based adhesives (US CEMENT, TOLI US CEMENT-Less smelly, US200) regardless of the ground moisture content.
- There are other points to keep in mind when using a swing-type motorized bed. For detailed information, please contact TOLI sales reps.

*Do not use urethane-resin-based adhesives other than US CEMENT, TOLI US CEMENT (less-smelly), or US200.

Various certification logos and descriptions: NW mark, SIAA Anti Virus, Antimicrobial mark, Ecomark, Environmental Friendly Product, The products with this logo are "FloorScore"-certified, JIS mark, Good Design Award Mark.

Test Method: Taber Abrasion Test. Includes a description of the test procedure and a photograph of the testing equipment.

Comparison of old and new code

Large table comparing old and new codes for various products. Columns include Old code and New code. Includes a note: *The Mature NW Luminous (FS4101-FS4104) will not undergo any product number changes.

Matching Colors' List of AUTON REPAIR-COLOR QUICK

Table with 4 columns: Vinyl sheet code, AUTON REPAIR-COLOR QUICK code, Vinyl sheet code, AUTON REPAIR-COLOR QUICK code. Lists matching color codes for various vinyl sheet products.

Recommended cleaning methods before moving in

1 Remove any dust or dirt generated during installation.

Use a vacuum cleaner, mop, etc. to remove any accumulated dust or dirt. When cleaning, wash the mop frequently to remove any dirt adhering to the mop. If the mop is dirty, the contaminated water may spread over the floor. Finally, wipe the floor again with a clean and slightly wet mop.

2 If stain remains, use detergent and clean with a polisher or an automated floor cleaner.

If there is too much dust or dirt, cleaning with damp mop may not be enough. If the dirt cannot be removed, use a cleaning agent and clean with a polisher or automated floor cleaner. Do not leave the dirty water after cleaning the floor, but wipe it up with a clean and slightly wet mop.

3 After cleaning, cover the floor with protecting sheet.

■ Adhesive

Type	Rubber-based latex type					Acrylic resin-based emulsion type			Urethane resin-based solvent type			
Product name	ECO ROYAL CEMENT					ECO AR600			US CEMENT			
Net Weight	18kg JIS trowel	9kg	4kg	4kg×4cans	1kg×4packs	15kg JIS trowel	9kg	3kg	18kg Double-sided trowel	9kg	3kg	3kg×4cans
Coverage	Approx.55m ²	Approx.27m ²	Approx.12m ²	Approx.12m ² ×4	Approx.3m ² ×4	Approx.50m ²	Approx.30m ²	Approx.10m ²	Approx.50m ²	Approx.25m ²	Approx.8m ²	Approx.8m ² ×4
Codes for order	ERC-L	ERC-M	ERC-S	ERC-CA	ERC4V-CA	EAR600-L	EAR600-M	EAR600-S	NUSC-L	NUSC-M	NUSC-S	NUSC-CA
Applicable substrate	Grade I (Moisture index below 8%), Absorbent substrate					Grade I (Moisture index below 8%), Absorbent substrate, Low absorbency substrate			Grade I, Grade IIa (Moisture index below 10%)			

Type	Urethane resin-based solvent type			Epoxy resin-based solvent type			
Product name	TOLI US CEMENT(Less smelly)		US200	EPOGREY ST		EPOGREY S	
Net Weight	18kg Double-sided trowel	9kg	16kg Double-sided trowel	16kg (A liquid:8kg B liquid:8kg) Double-sided trowel	4kg (A liquid:2kg B liquid:2kg)	10kg (A liquid:5kg B liquid:5kg) Double-sided trowel	4kg (A liquid:2kg B liquid:2kg)
Coverage	Approx.50m ²	Approx.25m ²	Approx.45m ²	Approx.40m ² *	Approx.10m ² *	Approx.25m ² *	Approx.10m ² *
Codes for order	TUSC-L	TUSC-M	US200-L	NSTEP-L	NSTEP-S	SEP-M	SEP-S
Applicable substrate	Grade I, Grade IIa (Moisture index below 10%)			Grade I, Grade IIa (Moisture index below 10%)			

Type	Acrylic resin-based emulsion type				Vinyl copolymer resin-based solvent type			Rubber-based solvent type	
Product name	ECO AR HABAKI NORI				HABAKI NORI			CR CEMENT	
Net Weight	9kg	3kg	3kg×4cans Plastic trowel	1kg×4packs	9kg	4kg	4kg×4cans Plastic trowel	3kg	3kg×4cans
Coverage	Approx.27m ²	Approx.9m ²	Approx.9m ² ×4	Approx.3m ² ×4	Approx.25m ²	Approx.11m ²	Approx.11m ² ×4	Approx.6m ²	Approx.6m ² ×4
Codes for order	ARTHC-M	ARTHC-S	ARTHC-CA	AR4V-CA	NTHC-M	NTHC-4	NTHC-CA	CRC-S	CRC-CA
Applicable substrate	Grade I (Moisture index below 8%)				Grade I (Moisture index below 8%)			Grade I (Moisture index below 8%)	

* After mixture of A and B liquids

■ Joint finish

Product name	TOLI SUPER SEAM LIQUID		TOLI JOINT SHIELD Full Set	TOLI JOINT SHIELD Liquid Set
	Bottle set	Seaming liquid set		
Contents	Bottle + Nozzle, Nozzle cleaner bottle(100cc)	TOLI Super seam liquid (450ml), masking tape (30mm width x 50m/roll x 3)	Shielding fluid 180g, special bottle, JS TAPE, sponge for wrapping around hand roller, installation procedure, cap, special nozzle(with needle)	Shielding fluid 180g, special bottle, JS TAPE, sponge for wrapping around hand roller, installation procedure *Dedicated nozzles are not attached.
Standard coverage	-	150m / set	50 m/set /SF FLOOR NW (3.5 mm thick) 35 m/set	/ CARE SAFE NW30m/ set
Codes for order	SSYO	SSZA	TS / SF / FS / FL / NS / CAR / HTE+JS+Floor sheet col. no.+FU	TS / SF / FS / FL / NS / CAR / HTE+JS+Floor sheet col. no.+EK
Applicable Products	For joint part of MATURE NW and NONWAXLEUM NW * Not applicable when TOLI Underlay seat is used		MATURE NW / HOSPILEUM NW / NONWAXLEUM NW / SF FLOOR NW / CARESAFE NW / DEODORANT NS TOWARE NW / HITOE GRANZA / HITOE FINE / FLOORLEUM PREMIER NW SERIES / FLOORLEUM PLAIN NW / FLOORLEUM MARBLE NW * Applicable when TOLI Underlay Seat is used, but not recommended for areas that demand high or concentrated durability.	

Technical Data

Total thickness		2mm
Wear layer thickness		0.5mm
Mass per unit area	EN ISO 23997	2730g/m ²
Roll width	EN ISO 24341	1.82m
Roll length	EN ISO 24341	20m
Dimensional stability	EN ISO 23999	0.04%
Residual indentation	EN ISO 24343	0.08mm
Light fastness	ISO 105-B02	≥ 6
Resistance to chemicals	EN ISO 26987	Not affected
Reaction to fire	EN 13501-1	Bfl-s1
Dynamic coefficient of friction	EN 13893	0.54
Wear resistance	EN 660-2	Group T
Resistance to bacteria	ISO 846	No growth apparent under the microscope

TOLI Corporation - Global Department

2-10-4 Higashi-Shinbashi Minato-ku Tokyo
105-0021 Japan
Phone : +81-3-5403-2078
Fax : +81-3-5472-6307
<https://toli-overseas.com/>

TOLI Corporation Singapore Branch

1 North Bridge Road, #21-10, High Street Centre,
179094, Singapore
Phone : +65-3138-5052
Fax : +65-6491-5234
<https://toli-overseas.com/>

TOLI (SHANGHAI) Corporation

Room 314, UYAO55 Building 1, No.55
Yuyao Rd., Jingan, Shanghai 200040 China
Phone : +86-21-6071-0688
Fax : +86-21-6071-0560
<http://www.tolish.com.cn>

TOLI North America Corporation

9247 Research Drive Irvine, CA 92618
Phone : +1-910-999-8654
<https://toli-na.com/>



TOLI Ai Simulator
Image Fit

Easy Interior Simulation by
Shooting and Selecting!



TOLI
Instagram



Follow us!

**TOLI Corporation is
ISO9001 Certified**

For the disposal of this sample book in Japan, please entrust to the approved industrial-waste disposal operator according to Industrial Waste Disposal Law directed by Ministry of the Environment of Japan.

<https://toli-overseas.com/>

Through product search engine content, you can
download product image.

2025.01

Promotion aid for professional use only